



SPECIAL SOLUTIONS FOR LOADING TECHNOLOGY

NEW. Scissor Lifts

HÖRMANN

Brand quality made in Europe

The family-owned company Hörmann offers all important construction components for building and renovating projects from a single source. We manufacture in highly specialised factories using state-of-the-art production technologies. Our employees work intensively on new products, continual further developments and improvements to details. The results are patents and unique products on the market.





QUALITY. Hörmann Transdek's award-winning product range of loading bay solutions are designed and manufactured in the UK, engineered for reliable lifetime operation and tailored to customers' specific needs.



COST-EFFECTIVE. The sophisticated product designs ensure faster loading times and minimise downtime. We offer solutions that lower your overall logistics costs for a fast return on investment for your company.



SAFETY. Our products are continuously tested to ensure compliance with standards. All of the vehicle dock lifts are accordingly CE/UKCA marked and conform with EN/BS standards and the Supply of Machinery Safety Regulations (2008)/Machinery Directive 2006/42/EC.



MODULAR DESIGNS. The dock lifts are delivered as pre-clad, pre-tested, surface-mounted units for fitting straight on to the yard or an internally recessed dock. Self-levelling feet accommodate variable yard gradients and dock heights. No pits are required for the installation.



MULTI-VEHICLE FLEXIBILITY. We have an unrivalled track record in converting bays with / without raised docks to load all vehicle types from double deck trailers to home delivery vans.



FAST FITTING AND DISMANTLING. Hörmann Transdek lifts are usually installed in as little as 1 to 2 days, which minimises disruption for sites. The surface-mounted design of the vehicle dock lifts also means that they can be quickly and easily relocated to a new site or bay should requirements change.



LOW-MAINTENANCE. Heavy-duty, simple electro-hydraulic designs built for easy, low-cost maintenance.

V2G yard lift

For loading and unloading different vehicle types at yard level



Award-winning modular loading for all vehicles

V2G YARD LIFTS. Level access loading at internal and external sites

- 6 to 13 pallet models (4 t to 12.5 t safe working loads)
- Lift speed:
 - 2 to 3 times faster than scissor lifts
 - 4 to 5 times faster than tail lifts
- Patented components
- Suitable for internal **1** or external loading locations **2**
- Multi-vehicle loading:
 - from 7.5-tonne trucks to double deck trailers
- Pre-clad, modular construction
- Quick installation – under 1 day to install
- Easy relocation to new bays or sites
- Suitable for new builds or can be retrofitted to existing sites




FEATURES

- Modular design
- Two-section loading house
- Single hydraulic ram
- Loading house according to DIN EN 1090-1:2009 for supporting components made of steel
- Robust, durable design
- Twin-interlocked platform gates
- Interlocked safety systems



Watch the video on YouTube or www.hormann.co.uk/media-centre



Double deck lifts

For loading and unloading different vehicle types at hall level




Only from Hörmann



Award-winning modular double deck lift range

DOUBLE DECK LIFTS (DDL). For loading double deck trailers and other vehicles from loading ramps in front of the hall

- 6 to 18 pallet models (4 t to 20 t safe working loads)
- Patented components
- Pre-clad, modular pod construction
- For all double deck trailer types, single deck trailers, containers and delivery vans
- Convert any dock in 1 to 3 days
- Unrivalled loading speed, safety and reliability
- Easy relocation to new bays or sites



FEATURES

- Modular design
- Two-section loading house
- Single hydraulic ram
- Loading house according to DIN EN 1090-1:2009 for supporting components made of steel
- Robust, durable design
- Twin-interlocked platform gates
- Interlocked safety systems



Watch the video on YouTube or
www.hormann.co.uk/media-centre


Universal dock door (UDD)

Universal loading of any type of vehicle from 3.5-tonne vans to double deck trailers

Only from Hörmann


UNIVERSAL DOCK DOOR (UDD). With adjustable bridge plate for quick adaptation to different vehicle types

- 6 to 10 pallet models (5.8 t to 6.5 t safe working loads)
- Adjustable Vandango bridge plate to cater for any vehicle from 3.5-tonne vans to double deck trailers in a matter of seconds **1**
- The vehicle tail lift is stowed underneath the lift platform in a special compartment **2**
- Rapid installation within 1 to 2 days
- Easy relocation to new bays or sites
- Services traditional loading bays (typically 1200 mm)
- Suitable for all commercial vehicle types



FEATURES

- Vandango bridge plate
- Tail lift pocket
- Modular plug-and-play design
- Two-section loading house
- Loading house according to DIN EN 1090-1:2009 for supporting components made of steel
- Robust, durable design
- Twin-interlocked platform gates
- Interlocked safety systems



Watch the video on YouTube or
www.hormann.co.uk/media-centre

Dock lifts

Dock lift models to service either the movement of products between split levels in the warehouse or loading / unloading vehicles in the loading bay



STANDARD DOCK LIFT (SDL). Lift products to / from raised loading platforms down to the yard or move goods between split levels in the warehouse

- 2 to 6 pallet models (2.25 t to 4 t safe working loads)
- Free-standing construction – can be situated internally or externally under a canopy
- Quick install – 1 day
- Easy relocation to new bays or sites
- Product only and travelling operator options available
- Service range up to 1590 mm



FEATURES

- Modular, surface-mounted design
- Single hydraulic ram
- Robust, durable design
- Automatic, surround fall-prevention system
- Interlocked safety systems



Watch the video on YouTube or
www.hormann.co.uk/media-centre



VEHICLE DOCK LIFT (VDL). For loading and unloading goods to / from vehicles to raised docks plus the ability to move goods down to yard level

- To move pallets and roll cages between raised loading platforms and the vehicle bed
- 4 to 6 pallet models (3 t to 4 t safe working loads)
- Quick installation – under 1 day to install
- Easy relocation to new bays or sites
- No pits – surface mounted

Warehouse extensions and vehicle ramps

Custom solutions for special requirements

MODULAR WAREHOUSE EXTENSIONS.


Additional loading and storage capacity without extensive civil works

- Robust, self-supporting steel lift shaft
- Combinable with Hörmann loading bays
- Modular design
- Combining multiple loading site to form independent cross-docking centres for last-mile delivery.
- Easy dismantling to limit dilapidation costs
- Angled extensions to provide a direct link to the warehouse to enable vehicle loading at space restricted sites



VEHICLE RAMPS (VR). Ramps tailored to specific sites to compensate for differences in height and inclination of the surface yard

- Prevents the under-run protection systems on trucks and trailers from grounding out
- Structurally designed to take the full trailer gross weight
- Galvanized finish for a long service life
- Quickly installed and easily removed with no repair costs
- Can be combined with manual Hörmann wheel-blocking system MWB **1**



NEW. Scissor Lifts

Surface-mounted, suitable for internal or external locations



SCISSOR LIFTS (SL). For moving / lifting goods between split levels or loading / unloading vehicles at level access sites

- Two lift sizes available: 4 EU pallets / 6 roll cages or 5 EU pallets / 9 roll cages
- Facilitates the loading/unloading of vehicles with trailer bed heights of up to 1500 mm
- Lifting capacities of up to 3000 kg UDL (raise) and 5000 kg (lower)
- Compact footprint ideal for space-restricted sites
- Quick install – 1 day
- No pits – surface mounted
- Built in conformance with EN / BS standards and CE marked
- Suitable for pallets, roll cages or hand trolleys
- Can be situated both internally and externally



FEATURES

- Fall protection gates
- Sliding personnel gates
- Safety curtain – prevents access under lift platform
- Platform with electronically monitored safety contact strip – enhanced safety for operating staff
- Fixed, low gradient for easy access
- LED traffic lights – interlocked to control panel
- Inbuilt maintenance safety props – for safer servicing



Watch the video on YouTube or
www.hormann.co.uk/media-centre

Mezzanine goods lifts

To open up unused warehouse space on upper floors

MEZZANINE GOODS LIFT (ML). Modular system for self-storage, warehouses, factories, stores or retail outlets

- Fully enclosed self-supporting lift shaft
- Modular, surface-mounted install: fitted in just 1.5 days
- No pits or motor room required
- Ground plus 2 floors, finished floor height up to 6200 mm
- Capacity: 1-2 pallets (or equivalent of)
- Safe working loads of up to 1500 kg
- Suitable for pallets, roll cages or hand trolleys
- Many different standard product versions available
- Platform dimensions (length x width):
1500 – 3000 x 1500 – 3000 mm
- Outer platform gates – 2100 mm with electrical gate interlock switches
- Bespoke colours available



FEATURES

- Single hydraulic ram
- Easy-to-use controls
- Wire mesh enclosed lift shaft
- Through car or same side loading
- Steel access ramp
- Space-saving construction
- No pits or civil works required



Watch the video on YouTube or
www.hormann.co.uk/media-centre

Installation and relocation

Modular products designed for rapid installation



INSTALLATION. Hörmann Transdek's unique range of modular loading bay products are designed for rapid installation, allowing fulfilment of each project on time, within budget and with minimal on-site cost and disruption.

The products are ideal for both retrofitting to older buildings during occupancy or new build constructions. All that is required is space to install the unit and a suitable power supply.



RELOCATION. Our modular loading bay equipment can be quickly and cost-effectively uplifted and moved to a new site or bay to accommodate downstream logistics restructuring. This saves on both dilapidation costs and capital spent on new dock lifts. The benefit of the modular construction allows sites to become operational during construction or refurbishment and relocated from a temporary site to a final location.



Temporary solution during loading site refurbishment



Final solution

Hörmann. For Life.

Thanks to their superior quality, Hörmann products ensure that residential and industrial buildings as well as construction projects function sustainably, reliably and economically. They are a crucial part of your building – and will remain so over the long term.

**INDUSTRIAL DOORS. LOADING TECHNOLOGY.
SLIDING DOORS. CONSTRUCTION PROJECT
DOORS. PERIMETER PROTECTION SYSTEMS.**



Some of the doors shown are equipped with special equipment and do not always correspond to the standard versions. The surface finishes and colours shown are subject to the limitations of the printing process and cannot be regarded as binding. All rights reserved. No part may be reproduced without our prior permission. Subject to changes.

HÖRMANN